## MATERIALS SCIENCE AND ENGINEERING

## CONTENTS

SPECIAL REVIEW	
The structure of internal interfaces: report of a discussion meeting	
Low cycle fatigue behaviour of a cobalt-free tungsten-bearing maraging steel	17
Steady state creep deformation of superalloy Inconel 718 Y. Han and M. C. Chaturvedi (Winnipeg, Manitoba, Canada)	25
Resistivity of fatigued copper single crystals	35
The development of current transients during the life of a copper single crystal fatigued in a neutral oxidizing environment	45
Internal strain (stress) in an SiC-Al particle-reinforced composite: an X-ray diffraction study	53
Machine-induced strain oscillations during fatigue tests with closed-loop servohydraulic systems S. I. Hong and C. Laird (Philadelphia, PA, U.S.A.)	63
A numerical model for prediction of creep fracture	73
Creep, fatigue and their interaction in coated and uncoated René 80	81
Effects of stress-aided static recovery in iteratively cold-worked aluminium and copper	93
Consolidation of a rapidly solidified titanium alloy by hot isostatic pressing	103
Ordering and solute segregation to dislocations in Cu-20at.%Mn	119
An alternative approach to processing dispersion-stabilized superalloys	129
Superlattice of the $\beta$ phase in aluminized coatings in IN-713LC and MAR-M 247	145
Microstructural characterization of rapidly solidified Nb-Si alloys	151
The influence of subcritical crack growth on the strength of ceramics	161
CORRESPONDENCE	
Discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys" P. J. Meschter and R. J. Lederich (St. Louis, MO, U.S.A.)	169
A reply to "Discussion of 'Cavitation study in ingot and powder metallurgically processed superplastic	
Al-Li alloys'"	171
CONFERENCE CALENDAR	175
LETTERS	
The three-dimensional shape of loop patches produced by cyclic deformation	L1
Effect of particle size on the creep rate of superalloy Inconel 718	L7
Current pulse heating of Co-Fe-Si-B metallic glass	L11
β-Ni <sub>4</sub> W phase precipitation in nickel-based superalloy	L15
Parameters in the Hertz theory of contact between two bodies	L19



#### Submission of papers

Manuscripts for the main part of the journal should be submitted to the Editor-in-Chief, Professor H. Herman, or for authors in Japan to Professor H. Kimura:

Professor Herbert Herman Department of Materials Science and Engineering State University of New York at Stony Brook Long Island, NY 11794, U.S.A.

Professor Hiroshi Kimura Research Institute for Iron, Steel and Other Metals Tohoku University Sendai, Japan

## Manuscripts for the Letters Section should be submitted as follows:

For authors in Europe except Great Britain

Professor Haël Mughrabi Institut für Werkstoffwissenschaften Universität Erlangen-Nürnberg Martensstrasse 5, D-8520 Erlangen, F.R.G.

For authors in North and South America, Great Britain and the rest of the world

Professor Herbert Herman Department of Materials Science and Engineering State University of New York at Stony Brook Long Island, NY 11794, U.S.A.

For authors in Japan

Professor Hiroshi Kimura Research Institute for Iron, Steel and Other Metals **Tohoku University** Sendai, Japan

### Manuscripts

Three copies should be submitted to the Editor, in double-spaced typing on pages of uniform size and with wide margins (Letters should not exceed 2000 words). All tables and illustrations should bear a title or legend.

An abstract should accompany reviews, original papers and Letters. It should present (preferably in 100-150 words; 50 words or less for Letters) a brief and factual account of the contents and conclusions of the paper, and an indication of the relevance of new material.

References should be indicated by numerals in square brackets, introduced consecutively and appropriately in the text. References must be listed on separate sheet(s) at the end of the paper. Every reference appearing in the text should be quoted in the reference list, and vice versa.

One set of line drawings should be in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper (letter height, 3-5 mm). Photographs should be high contrast glossy black-and-white prints; duplicates of micrographs should be provided wherever possible to facilitate the refereeing process. Where magnifications are concerned, it is preferable to indicate the scale by means of a ruled scale bar on the photograph. Legends to illustrations should be typed in sequence on a separate page.

Authors must express all quantities in SI units, with other units in parentheses if desired.

#### **CONTENTS** (continued)

New concept in the evaluation of the stability of carbides	L21
Computerized integration of electron beam rapid solidification and heat treatment	L25
The occurrence of dislocation-free zones at grain boundaries and free surfaces during cyclic deformation J. I. Dickson, S. Turenne, H. Bande and G. L'Espérance (Montreal, Quebec, Canada)	L31
Bauschinger effect in precipitation-strengthened aluminium alloy 2024	L35
The effect of finite amplitude perturbations on the stability of continuous phases	L41
AUTHOR INDEX	181
SUBJECT INDEX	183

© ELSEVIER SEQUOIA S.A. (1987)

0025-5416/87/\$3.50

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mech t the prior written permission of the publisher, Elsevier Sequole S.A., P.O. Box 851, 1001 Lausanne 1, Switzerland.
sion of an article for publication implies the transfer of the copyright from the author(s) to the publisher and entails the author(s) irrevocable and exclusive authorization of the publisher to collect

any sums or considerations for copying or reproduction payable by third parties.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dis-

For Material Subject to U.S. Copyright Law

For Material Subject to U.S. Copyright Law
Special regulations for readers in the U.S.A.
This journal has been registered with the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, U.S.A. Consent is given for copying of articles for personal use, or for the personal specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permit Sections 107 or 108 of the U.S. Copyright Law. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author articles published prior to 1981 may be copied for a per-copy fee of U.S. \$2.50, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distributions and promotion purposes or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

# MATERIALS SCIENCE AND ENGINEERING

## CONTENTS

SPECIAL REVIEW	
The structure of internal interfaces: report of a discussion meeting	1
Low cycle fatigue behaviour of a cobalt-free tungsten-bearing maraging steel	17
Steady state creep deformation of superalloy Inconel 718 Y. Han and M. C. Chaturvedi (Winnipeg, Manitoba, Canada)	25
Resistivity of fatigued copper single crystals	35
The development of current transients during the life of a copper single crystal fatigued in a neutral oxidizing environment	45
Internal strain (stress) in an SiC-AI particle-reinforced composite: an X-ray diffraction study	53
Machine-induced strain oscillations during fatigue tests with closed-loop servohydraulic systems	63
A numerical model for prediction of creep fracture	73
Creep, fatigue and their interaction in coated and uncoated René 80	81
Effects of stress-aided static recovery in iteratively cold-worked aluminium and copper	93
Consolidation of a rapidly solidified titanium alloy by hot isostatic pressing	103
Ordering and solute segregation to dislocations in Cu-20at.%Mn	119
An alternative approach to processing dispersion-stabilized superalloys	129
Superlattice of the $\beta$ phase in aluminized coatings in IN-713LC and MAR-M 247	145
Microstructural characterization of rapidly solidified Nb-Si alloys	151
The influence of subcritical crack growth on the strength of ceramics	161
CORRESPONDENCE	
Discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys" P. J. Meschter and R. J. Lederich (St. Louis, MO, U.S.A.)	169
A reply to "Discussion of 'Cavitation study in ingot and powder metallurgically processed superplastic	
Al-Li alloys'"	171
CONFERENCE CALENDAR	175
LETTERS	
The three-dimensional shape of loop patches produced by cyclic deformation	L1
Effect of particle size on the creep rate of superalloy Inconel 718	L7
Current pulse heating of Co-Fe-Si-B metallic glass	L11
β-Ni <sub>4</sub> W phase precipitation in nickel-based superalloy	L15
Parameters in the Hertz theory of contact between two bodies	L19

